

TRUCK & BUS RADIAL TIRES



2021

QUALITY
QUALITY

INNOVATION
INNOVATION

SERVICES
SERVICES

ROADLUX[®]

Tires Are Manufactured To Meet Stringent Local And International Standards

*The Pursuit of **Quality & Excellence** Has No End*



Make Transportation

SAFE · COMFORTABLE · ECONOMICAL · ENVIRONMENTAL FRIENDLY



-  **LONG HAUL**
-  **REGIONAL**
-  **URBAN**
-  **AGRICULTURE**
-  **OTR**
-  **MIXED SERVICE
ON&OFF**
-  **MINING**
-  **WINTER**
-  **ECONOMICAL**
-  **NEW PATTERN**



The First TBR Tire Plant in Pakistan, invested by LongMarch, China, will be Completed and Put into Operation in 2021.

LONG HAUL

ROADLUX[®]



116

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	15.0
11R22.5	16	148/145M 146/143M	15.0
11R24.5	14	146/143M	15.0
11R24.5	16	149/146M	15.0
285/75R24.5	14	144/141M	15.0
285/75R24.5	16	147/144M	15.0
295/75R22.5	14	144/141M	15.0
295/75R22.5	16	146/143M	15.0

Premium Steer / Trailer
On Highway Service



168

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
435/50R19.5	--	160J	13.0
445/45R19.5	--	160J	14.0

Wide Base Trailer Position
In Highway / Agriculture Service



117

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149L	16.0
13R22.5	18	154/151M	15.0
295/60R22.5	18	149/146K 150/147M	14.5
315/60R22.5	18	152/148K 152/148M	14.5
315/60R22.5	--	154/150M	14.5
315/70R22.5	18	154/150M	15.0
315/70R22.5	--	156/150M	15.0

Premium Steer / Trailer Regional / Long Haul
Direction Pattern



217

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	16.0
11R22.5	16	146/143M 148/145M	16.0
12R22.5	18	152/149L	16.0
11R24.5	14	146/143M	16.0
11R24.5	16	149/146M	16.0
13R22.5	18	154/151M	16.0
245/70R17.5	18	143/141K	13.5
295/75R22.5	14	144/141M	15.0
295/75R22.5	16	146/143M	15.0
295/80R22.5	18	152/149L	16.0
315/80R22.5	20	156/150M	16.5

Premium Steer / Trailer Position
On Highway Service



127

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
215/85R16LT	12	120/118L	11.0
215/75R17.5	16	127/124M	14.0

All Position on Highway Service



302

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	20.0
11R22.5	16	146/143M 148/145M	20.0
12R22.5	18	152/149M	20.5
295/80R22.5	18	152/149M	20.5
315/80R22.5	18	154/151K	20.5
315/80R22.5	20	156/150K	20.5

Drive Position, Short / Long Distance
On Highway Service



168

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
385/55R19.5	--	156J/160K	15.0
385/55R22.5	--	160J	16.5
385/55R22.5	--	160K/158L	15.0
385/65R22.5	20	160K/158L	15.0
385/65R22.5	24	164K	15.0

Wide Base Trailer / Steer Position
In Highway Service



326

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
11.00R22	16	152/149K	22.0
12R22.5	18	152/149K	22.0
13R22.5	18	154/151K	22.0
275/70R22.5	16	148/145M	20.5
315/80R22.5	18	154/150K	22.0
315/80R22.5	20	156/150K 156/150M	22.0

Drive Position, Long Distance
On Highway Service





329

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
275/70R22.5	16	148/145M	20.5
295/60R22.5	18	150/147M	20.0
295/80R22.5	18	152/149M	19.5
305/70R19.5	18	148/145K	19.0
315/60R22.5	18	152/148M	20.0
315/70R22.5	18	154/150M	21.5
315/80R22.5	20	156/150M	21.5

Drive Position Long Haul On Road Service

LONG HAUL



216

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
215/75R17.5	16	135/133M	13.0
215/75R17.5	—	128/126M	13.0
235/75R17.5	16	132/129J	13.0
235/75R17.5	18	143/141J	13.0
8R19.5	12	124/122M	13.0
225/70R19.5	12	125/123M	13.0
225/70R19.5	14	128/126M	13.0
225/70R19.5	18	143/141L	13.0
245/70R19.5	16	135/133M	13.0
245/70R19.5	—	136/134M	13.0
265/70R19.5	16	143/141M	13.0
285/70R19.5	18	150/148J	13.0
305/70R19.5	18	148/145L	14.0
11.00R22	16	152/149L	16.0
11R22.5	14	144/142M	15.0
11R22.5	16	146/143M 148/145M	15.0
12R22.5	16	150/147L	16.5

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149L	16.5
13R22.5	18	154/151M	16.0
295/60R22.5	18	149/146K	14.5
255/70R22.5	16	140/137M	14.0
275/70R22.5	16	148/145M	15.0
295/75R22.5	14	144/141M	15.0
295/75R22.5	16	146/143M	15.0
275/80R22.5	16	149/146M	15.5
295/80R22.5	18	152/149M	16.0
295/80R22.5	—	154/149M	16.0
315/80R22.5	18	154/151M	16.5
315/80R22.5	20	156/150M	16.5
315/80R22.5	—	158/150M	16.5
11R24.5	14	146/143M	15.0
11R24.5	16	149/146M	15.0
285/75R24.5	14	144/141M	15.0
285/75R24.5	16	147/144M	15.0

Premium Steer/Trailer On Highway Service



511

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
7.00R16LT	14	148/114J	13.5
10.00R20	16	146/143K	18.0
10.00R20	18	149/146K	18.0
11.00R20	16	150/146K	20.0
11.00R20	18	152/149K	20.0
12.00R20	18	154/151K	20.0
12.00R20	20	156/153K	20.0
295/80R22.5	18	152/149K	22.0
315/80R22.5	20	156/150K	22.0

Drive Position On/Off Road/Highway Service



555

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149K	20.5

Drive Position On Highway Service



516

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142L	24.0
11R22.5	16	146/143L 148/145L	24.0
295/75R22.5	14	144/141L	20.5
295/75R22.5	16	146/143L	20.5
11R24.5	14	146/143L	24.0
11R24.5	16	149/146M	24.0
285/75R24.5	14	144/141L	20.5
285/75R24.5	16	147/144L	20.5

Drive Position, Closed Shoulder Deep Tread For Highway Service



558

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149K	21.5
295/80R22.5	18	152/149K	21.5

Drive Position On Highway Service





105

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
7.00R16LT	8	107/102L	10.5
7.00R16LT	10	111/107L	10.5
7.00R16LT	12	115/110L	10.5
7.50R16LT	14	122/118L	12.0
ST225/90R16	14	128/124K	12.0
7.50R16LT	16	125/121L	12.0

All Position Bus And Light Truck On Road Service



115

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
10.00R20	16	146/143L	15.0
10.00R20	18	149/146L	15.0
11.00R20	16	150/146L	15.0
11.00R20	18	152/149L	15.0
12.00R20	18	154/151L	15.0
8R22.5	12	128/126M	13.0
9R22.5	14	136/134M	14.5
11R22.5	14	144/142M	15.0
11R22.5	16	148/145M	15.0
11R22.5	16	146/143M	15.0
12R22.5	18	152/149L	16.5
13R22.5	18	154/151L	16.0
295/80R22.5	18	152/149L	16.0
315/80R22.5	20	156/150L	16.5

Steer/Trailer Position On Road Service



118

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
10R22.5	16	144/142M	14.0

All Position On Road Service



120

ROADLUX®



Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	10.5
11R22.5	16	146/143M	10.5
255/70R22.5	16	140/137M	10.5
295/75R22.5	14	144/141M	10.5
295/75R22.5	16	146/143M	10.5
11R24.5	14	146/143M	10.5
11R24.5	16	149/146M	10.5
285/75R24.5	14	144/141M	10.5
285/75R24.5	16	147/144M	10.5

Trailer Position On Road Service



126

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
235/85R16	14	126/123L	10.0
ST235/85R16	14	129/125M	10.0

All Position On Road Service



128

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
385/65R22.5	20	160K(158L)	16.0
425/65R22.5	20	165K	17.0

Wide Base Trailer/All Position On Road Service



129

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
ST235/80R16	14	129/125L	9.5

All Position On Road Service



135

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
9.5R17.5	18	143/141J	12.0
9.5R17.5	-	129/127M	12.0
10R17.5	16	143/141J	12.0

All Position On Road Service



136

ROADLUX®



Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	10.5
11R22.5	16	148/145M	10.5
295/75R22.5	14	144/141M	10.5
295/75R22.5	16	146/143M	10.5

Trailer Position On Road Service



155

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149M	14.0
315/80R22.5	20	156/150M	14.0

Trailer Position On Road Service





166

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
6.50R16LT	10	107/102L	10.0
6.50R16LT	12	110/105L	10.0
7.00R16LT	12	115/110L	10.5
7.00R16LT	14	118/114L	10.5
7.50R16LT	12	120/116L	12.5
7.50R16LT	14	122/118L	12.5
7.50R20	14	130/128L	12.5
7.50R16LT	16	125/121L	12.0
8.25R16LT	16	128/124L	12.0

All Position On Road Service



228

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
8.25R20	14	136/134L	15.0

All Position On Road Service



210

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
9.00R20	16	144/142L	15.0
10.00R20	16	146/143L	15.0
295/80R22.5	18	152/149M	16.0

All Position On Road Service



229D

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
215/75R17.5	16	127/124M	18.5

Drive Position On Road Service



215

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149L	16.0

Premium Steer Position
Long Haul highway Service



233S

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
315/80R22.5	N/A	156/150L	15.0
12R/22.5	N/A	152/149L	14.5

Steer/trailer Position on Road Service



218

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	15.0
11R22.5	16	148/145M 146/143M	15.0

All Position On Road Service



256

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11.00R20	18	152/149L	16.0
12.00R24	20	160/157K	14.5

All Position On Road Service



219

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11.00R20	16	150/147L	16.0
11.00R20	18	152/149L	16.0

All Position On Road Service



267F

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
385/65R22.5	22	162K	17.0
385/65R22.5	20	160(158)K(L)	17.0

(Wide Base) All Position On Road Service





268

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
9.00R20	16	144/142L	15.0
10.00R20	18	149/146L	15.5
11.00R20	18	152/149L	16.0
12.00R20	18	154/151L	15.0

All Position Standard Load On Road Service



666

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
275/70R22.5	16	148/145M	22.0
11R22.5	16	148/145M	22.0

Deep Tread Design for All Position, City Bus Service



508

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
215/75R17.5	16	135/133J	15.0
235/75R17.5	16	132/129J	15.0
235/75R17.5	18	143/141J	15.0
225/70R19.5	12	125/123J	15.0
225/70R19.5	14	128/126J	15.0
245/70R19.5	16	135/133J 136/134M	15.0
265/70R19.5	16	143/141J	15.0
285/70R19.5	18	150/148J	15.0

Drive Position Closed Shoulder On Road Service



668

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
275/70R22.5	18	152/148J	20.0

City Bus Designing Heavy Duty, Safety Structure Low-cost Mileage



509

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
225/70R19.5	12	125/123J	15.0
225/70R19.5	14	128/126J	15.0
245/70R19.5	16	135/133M	16.0

Drive Position Open Shoulder On Road Service



358

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
445/45R19.5	--	164E	13.0

Super Wide Agricultural Trailer Service



518

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
10.00R20	16	146/143K	18.5
10.00R20	18	149/146K	18.5
11R22.5	14	144/142L	19.0
11R22.5	16	146/143L 148/145L	19.0
295/75R22.5	14	144/141L	20.5
295/75R22.5	16	146/143L	20.5
11R24.5	14	146/143L	19.0
11R24.5	16	149/146L	19.0
285/75R24.5	14	144/141L	20.5
285/75R24.5	16	147/144L	20.5

Drive Position, Opened Shoulder Urban/Rural On Road Service



901E3


OTR

★ **NEW**

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
14.00R25	--	169B	27.0

All Position Off Road Mining Service



★ **901E4**

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
16.00R25	--	180B	38.0

All Position Off Road Mining Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
1000R20	18	149/146L	16.0
1200R20	18	154/151L	17.0
1200R20	20	156/153L	17.0
1200R22.5	—	152/149L	15.0
12R22.5	18	152/149L	15.0
1200R24	20	160/157K	17.5
13R22.5	18	154/151M 156/153L	17.0
13R22.5	20	156/153L	17.0
315/80R22.5	18	154/151M	16.5
315/80R22.5	20	156/150L 156/150M	16.5
315/80R22.5	—	158/150L	16.5
325/95R24	22	162/160K	17.5

201

Heavy Duty All Position On/Off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	15.5
11R22.5	16	146/143M 148/145M	15.5
11R24.5	14	146/143M	15.5
11R24.5	16	149/146M	15.5
255/70R22.5	16	140/137L	14.0

211

Cut & Chip Compound
All Position On/off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
12R22.5	18	152/149K	15.0
315/80R22.5	20	156/150M	15.5
325/95R24	22	162/160K	16.0

288

All Position On/Off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
1200R20	18	154/151J	21.5
1200R20	20	156/153K	21.5
13R22.5	18	154/151J	21.5

301

Drive/All Position Off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
900R20	16	144/142K	15.5
1100R20	18	152/149K	17.0
1200R20	18	154/151K	17.0
1200R20	20	156/153K	17.0

303

Drive/Trailer Position
On/off Road Service

MIXED SERVICE

ON/OFF

★ NEW

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
1000R20	18	149/146K	16.0
1100R20	18	152/149K	17.0
1200R20	18	154/151K	17.0

303A

Heavy Duty With Zero Belt Designing
Drive Position, On/Off Road

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142J	25.0
11R22.5	16	148/145J 146/143J	25.0
1200R24	18	158/155F	31.5
295/80R22.5	18	152/149J	22.0
315/80R22.5	20	156/150J	22.0

305

All Position Short Distance,
Off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
7.50R16LT	14	122/118F	16.0
1000R20	18	149/146G	23.5
12R22.5	18	152/149J	25.0
11R24.5	16	149/146J	25.0

306

All Position Short Distance,
Off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
1100R20	16	150/146K	20.0
1100R20	18	152/149K	20.0
1200R20	18	154/151K	21.0

307A

Drive/Trailer Position,
Short Distance, Off Road Service

ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
7.50R16LT	14	122/118K	15.0
8.25R16LT	16	128/124K	16.5

318

Drive/Trailer Position,
On/Off Road Service





ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	16	148/145L	22.0
12R22.5	18	152/149K	20.0
13R22.5	18	154/151K 156/153L	20.0
13R22.5	20	156/153L	20.0
295/80R22.5	18	154/149M	20.0
315/80R22.5	18	154/151K	20.5
315/80R22.5	20	156/150K 156/150M	20.5

328

Drive Position, Short/Long Distance On/Off Road Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
8R22.5	12	128/126L	14.5
9R22.5	14	136/134L	15.0
10R22.5	16	144/142L	15.0
11.00R20	16	150/147L	16.0
11.00R20	18	152/149L	16.0
12R22.5	18	152/149L	15.5

520

All Position On/Off Road Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
9.5R17.5	18	143/141J	16.5
215/75R17.5	18	135/133J	15.0
235/75R17.5	18	143/141J	16.0
295/80R22.5	18	152/149L	20.5

335D

(Wide Base) Drive Position On/Off Road Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
385/65R22.5	20	160K(158L)	17.5
385/65R22.5	22	162K	17.5
425/65R22.5	20	165J	17.5

526

Wide Base (Balance Control) Steer/All Position On/Off Mixed Road Service




ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
13R22.5	20	156/153L	20.0
315/80R22.5	20	156/150L	20.0

330

Drive Position On/Off Road Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
10.00R20	18	149/146L	18.5

527

Drive Position On/Off Road Service




ROADLUX[®]

Size	Ply	Load Index/Speed	Dep
8.25R16LT	16	128/124L	16.5
11.00R20	18	152/149K	20.0
12.00R20	18	152/149K	20.0
12.00R20	20	156/153K	18.0
12R22.5	18	152/149K	17.5
12.00R24	20	160/157K	18.5
325/95R24	22	162/160K	18.5

338

Drive Position, Short/Long Distance On/Off Road Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
6.50R16LT	10	107/102K	11.0
6.50R16LT	12	110/105K	11.0
7.00R16LT	14	118/114K	12.5
7.50R16LT	14	122/118L	14.0
8.25R16LT	16	128/124L	14.0
7.50R20	14	130/128L	14.0
11R22.5	14	144/142L	15.5
11R22.5	16	148/145L 146/143L	15.5
11R24.5	14	146/143L	18.0
11R24.5	16	149/146L	18.0
12R22.5	16	150/147L	18.0
12R22.5	18	152/149L	18.0
13R22.5	18	154/151L	18.0
295/80R22.5	18	152/149L	16.0
315/80R22.5	20	156/150L	18.0

519

All Position On/Off Road Service



ROADLUX[®]

Size	Ply	Load Index/Speed	Depth(mm)
295/80R22.5	18	152/149M	17.0
275/70R22.5	18	152/148J	17.0

505F

All Position On/Off Road Service





528

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142J	25.0
11R22.5	16	148/145J 146/143J	25.0
11R24.5	14	146/143J	25.0
11R24.5	16	149/146J	25.0

Drive Position Off Road Service



529

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
12.00R20	18	154/151J	20.5

Drive/Trailer Position Off Road, Short Distance Service



★ **539F**

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
445/65R22.5	22	169L	20

All Position On/Off Road Service



MINING

308

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
7.00R16LT	14	118/114D	15.5
7.50R16LT	14	122/118D	16.5
8.25R16LT	16	128/124D	18.0
8.25R20	14	136/134D	19.0
9.00R20	16	144/142D	20.5
10.00R20	18	149/146D	23.5
11.00R20	18	152/149D	25.0
12.00R20	18	154/151D	25.0

All Position, Low-Speed Mining Area Service Only



MINING

309

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
11.00R20	16	150/147F	25.0
11.00R20	18	152/149F	25.0
12.00R20	18	154/151D	25.0
12.00R20	22	158/155D	25.0

All Position, Low-Speed Mining Area Service Only



701

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
315/70R22.5	18	154/150J	20.5
11R22.5	16	148/145J	20.5

Drive/Trailer On Snow/Ice Road Service



702

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
315/80R22.5	20	156/150K	22.0

Drive/Trailer On Snow/Ice Road Service



703

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
315/70R22.5	18	154/150J	15.0

Steer/Trailer Position On Snow/Ice Road Service



705

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	21.0
11R22.5	16	148/145M 146/143M	21.0
11R 24.5	14	146/143M	22.0
11R 24.5	16	149/146M	22.0

Drive/Trailer On Snow/Ice Road Service



706

ROADLUX

Size	Ply	Load Index/Speed	Depth(mm)
7.00R16LT	14	118/114J	13.5

Drive/Trailer On/Off Road Service



ECONOMICAL

★ **NEW**



★ **136S**

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	14.0
11R22.5	16	148/145M	14.0
295/80R22.5	18	152/149M	15.0

Trailer Position On Road Service



218E

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	15.0
11R22.5	16	148/145M 146/143M	15.0

All Position On Road Service



211E

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	15.5
11R22.5	16	146/143M 148/145M	15.5

Cut & Chip Compound
All Position On/off Road Service



302E

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	20.0
11R22.5	16	146/143M 148/145M	20.0
295/80R22.5	18	152/149M	20.5

Drive Position, Short/Long Distance
On Highway Service



216E

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	14	144/142M	15.0
11R22.5	16	146/143M 148/145M	15.0
295/80R22.5	18	152/146M	16.0

Premium Steer/Trailer On Highway Service



328E

ROADLUX®

Size	Ply	Load Index/Speed	Depth(mm)
11R22.5	16	148/145L	22.0

Drive Position, Short/Long Distance
On/Off Road Service





■ OTR

★ NEW

ROADLUX®

Size	Ply	Load Index/Speed	Depth/mm
14.00R25	--	169B	27.0



902E3

All Position Off Road Mining Service

902E3

TO BE CONTINUED

TO VIEW, TO ENJOY

To View, To Enjoy



ROADLUXTM