

TOLINS TYRE



safer.
stronger.
Lives Longer.

CATALOGUE
2022 - 2023

Tolins Certified for



About Tolins

Tolins is a Tyre and leading Tread Rubber manufacturer based in Kerala, India. We have worldwide presence with offices and manufacturing facilities in multiple countries like the UAE, US, Latin America etc.

Our tyre product range includes three-wheeler, scooter, bike, tillers, tractors and LCV tyres. Our products are well represented across India through our depots at Delhi, Pune, Baroda etc and internationally with major exports to Africa, Middle East, Asia and Latin American Countries.

Tolins products follow strict quality control and are certified by DOT, SONCAP, GSO, BIS, TS16949:2009, ISO 9001:2015 etc. Tolins is also winners for Export Awards from Government of India for the best Export performance for eight consecutive years.

Corporate Office




All India Network Of Dealers & Technical Support

Exclusive Showrooms

Kerala - 20
Tamil Nadu - 6
Andhra - 2

Depots

Delhi: 9946862222 delhi@tolins.com
Pune: 8589855222 pune@tolins.com
Vijayawada: 8142056657 vja@tolins.com
Raipur: 9048650222 raipur@tolins.com
Guwahati: 7593892222 guwahati@tolins.com
Vadodara: 9539290222 vadodara@tolins.com
Calicut: 8943592222 nk@tolins.com
Kannur: 70346102222 kannur@tolins.com



Dealers

Tamil Nadu - 40
Andhra Pradesh - 12
Telangana - 12
Karnataka - 34
Maharashtra - 28
Kerala - 34
North India - 90

Technical & Marketing Support

Kerala Tyre Sales : 9745222222
Kerala North : 9645098222
Kerala Central : 8886974466
Kerala South : 9645207222
Tamil Nadu : 9846439347
Andhra Pradesh : 8142056657, 8086344222
Gujarat : 9052822339
Maharashtra : 7034288222, 8086877222
Odessia : 9048112922
Delhi : 7034272222
Himachal, Haryana & Jammu : 9645042222
Guwahati : 9745858222
Rajasthan : 9048878222
Chhattisgarh : 9048660222
West Bengal, Bihar & Jharkhand : 7034712222
Uttar Pradesh : 9645214222



LCV TYRES

STAR RIB

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.25-16	18	6.50 H	130/128
8.25-16	16	6.50 H	129/127
7.50-16	18	6.00 G	125/121
7.50-16	16	6.00 G	124/120
7.00-16	14	5.50 F	118/113
7.00-16	12	5.50 F	115/110
7.00-15	12	5.50 F	115/110
7.00-15	10	5.50 F	110/105
6.50/6.70-15	12	5.00 K	113/109
6.50/6.70-15	10	5.00 K	107/103



STAR LUG XT

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.25-16	18	6.50 H	130/128
8.25-16	16	6.50 H	129/127



SUPER LUG

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.25-16	18	6.50 H	130/128
8.25-16	16	6.50 H	129/127
7.50-16	18	6.00 G	125/121
7.50-16	16	6.00 G	124/120

**safer.
stronger.
Lives Longer.**



MAX LUG

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.25-16	16	6.50 H	129/127



DUSTER XD

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.25-16	8	6.50 H	117/115



STENZA

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.25-16	18	6.50H	130/128
8.25-16	16	6.50H	129/127
7.50-16	18	6.00G	125/121
7.50-16	16	6.00G	124/120
155/80 D12	8	4.50J	88/86
155/80 D13	8	4.50J	94/92



SUPER RIB ST

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	16	6.00 G	124/120
7.50-16	14	6.00 G	122/118



T99

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	18	6.00 G	125/121
7.50-16	16	6.00 G	124/120
7.50-16	14	6.00 G	122/118
8.25-16	16	6.50 H	129/127



STAR LUG ST

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	18	6.00 G	125/121
7.50-16	16	6.00 G	124/120
7.50-16	14	6.00 G	122/118

**safer.
stronger.
Lives Longer.**



MAX RIB

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	12	6.00 G	120/116
7.50-16	10	6.00 G	116/111



SANDY

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	12	6.00 G	120/116
7.50-16	10	6.00 G	116/111
7.50-16	8	6.00 G	112/107



EXTRA MILER

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	16	6.00 G	124/120



SUPER LUG TT

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	16	6.00 G	124/120
7.50-16	18 PR	6.00 G	125/121



MILE-XL

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50-16	16	6.00 G	124/120



SUPER LUG FT

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.00-15	14	5.50 F	118/113
7.00-15	12	5.50 F	115/110

**safer.
stronger.
Lives Longer.**



MATRIX

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.00-16	14	5.50 F	118/113
7.00-16	12	5.50 F	115/110



POWER RIB

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.50-16	12	4.50 E	110/105
6.50-16	10	4.50 E	107/103
6.50-16	14	4.50 E	-----
6.50-16	08	4.50 E	102/98



SUPER RIB

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.50/6.70-15	12	5.00 K	113/109
6.50/6.70-15	10	5.00 K	107/103
6.50-14	12	4.5 J	107/104
6.50-14	10	4.5 J	105/103
6.50-14	8	4.5 J	102/100



LOGAN

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.50-14	12	4.5 J	107/104
6.50-14	10	4.5 J	105/103
6.50-14	08	4.50 G	102/100
6.00-16	10	4.5 E	103/99
6.00-16	8	4.5 E	99/95



ROGER

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.00-16	8	4.5 E	99/95



SAFARI

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
185/80 D14	8	5.50 J	102/100

**safer.
stronger.
Lives Longer.**



SAFARI RIB

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
185/80 D14	8	5.50 J	102/100



SUPER RIB DLX

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.00-14	12	4.50 J	
6.00-14	10	4.50 J	



HIGHWAY

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
155/80 D12	8	4.50 J	88/86

FARM & OTR



TSTRONG

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
9.00-16/5°	18 PR	6.50 H	138
9.00-16/5°	16 PR	6.50 H	136
9.00-16/5°	14 PR	6.50 H	134



TSTRONG LX

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
9.00-16/5°	18 PR	6.50 H	138
9.00-16/5°	16 PR	6.50 H	136
9.00-16/5°	14 PR	6.50 H	134



VIJAY

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
9.00-16	18 PR	6.00 T FLAT BASE RIM	138

**Safer.
Stronger.
Lives Longer.**



TOOFAN

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
7.50 - 16	8	6.00	103



IM 110

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.50-16	6	5.00 F	88
6.50-16	4	5.00 F	81
5.00-10 (TPB 17)	4	3.00 D	74



FARM KING

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.00-16	10	4.5 E	103/99
6.00-16	8	4.5 E	99/95
6.00-16	6	4.5 E	93/89



FARM

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.00-16	10	4.5 E	103/99
6.00-16	8	4.5 E	99/95
6.00-16	6	4.5 E	93/89



POWER DLX

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
6.00-12	6	4.00 E	72
6.00-12	4	4.00 E	68
6.50/80-13 (BGT)	6	5.00	82



VARUN

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
4.50-10	6	3.00 D	79
4.50-10	4	3.00 D	

**safer.
stronger.
Lives Longer.**



GARTEN

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
4.00-4	4	3.00	43



REAPER

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
18.7-8	2	5.5	35



RM 110

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
16 x 6.5 - 8	6	5.375 I - 55	72



TAMARX

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
8.00 x 19	10	5.00	125



CROFTER

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
4.00-8	4	3.00-8	57/44 A6



CROFTER LV

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
4.00-8	2	3.00D-8	43/31 A6
4.00-8	4	3.00D-8	57/44 A6



ZING

TYRE SIZE	PLY RATING	RECOMMENDED RIM WIDTH	LOAD INDEX (SINGLE/DUAL)
3.50-8	4	2.50-8	46J

MOTORCYCLE TYRES



RIPPLE GRIP

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
2.50-16	6	1.6	41 L	65	542	4.3	145	280	TUBE

**Safer.
Stronger.
Lives Longer.**



SUPPLE MOTO

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
2.50-16	6	1.6	41 L	64	547	5.2	145	280	TUBE



FORSA F85

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
2.75-17	4	1.85	43 P	78	596	4.8	155	225	TUBE
2.75-18	4	1.85	44 P	76	620	5.0	160	225	TUBE
2.75-18	4	1.85	44 P	76	620	5.0	160	225	TUBELESS



CRUISER Z

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
2.75-17	4	1.85	43 P	77	590	4.1	155	225	TUBE
2.75-18	4	1.85	44 P	76	618	4.5	160	225	TUBE
80/100-17	4	1.85	46 P	79	596	4.8	170	230	TUBELESS
80/100-18	4	1.85	47 P	78	621	4.4	175	230	TUBELESS
90/90-17	4	2.15	49 P	88	599	5.6	185	225	TUBE
90/90-17	4	2.15	49 P	88	599	5.6	185	225	TUBELESS
100/90-18	6	2.5	56 P	98	644	5.6	224	225	TUBELESS



CRUIZER C

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
100/90-17	6	2.5	55 P	105	616	8	218	225	TUBE
100/90-17	6	2.5	55 P	105	616	8	218	225	TUBELESS
120/80-17	6	2.75	61 P	120	630	6.5	257	230	TUBELESS



RICONE

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.00-18	6	1.85	52 P	81	634	8.8	200	280	TUBE
3.00-18	6	1.85	52 P	81	634	8.8	200	280	TUBELESS
3.50-19	6	2.15	63 P	93	685	8.7	272	280	TUBE



STAGGER

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
100/90-18	6	2.5	56 P	105	645	8.2	224	225	TUBE
100/90-18	6	2.5	56 P	105	645	8.2	224	225	TUBELESS
110/80/17	6	2.5	57 P	110	610	9	230	230	TUBELESS

**Safer.
Stronger.
Lives Longer.**



CRUIZER Q

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
110/90-18	6	2.5	61 P	110	650	6	257	225	TUBE
110/90-18	6	2.5	61 P	110	650	6	257	225	TUBELESS



XTREMER

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
100/80-17	6	2.5	52 P	100	593	4.5	200	230	TUBELESS
140/70-17	6	3.75	66 P	133	628	5.7	300	230	TUBELESS



CRUIZER FM

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
90/90-19	6	2.15	52 P	86	650	4.1	200	230	TUBE



ROSSONE

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.00-18	6	1.85	52 P	78	636	10.5	200	280	TUBE



IMPULSE

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
110/90-16	6	2.5	59P	109	598	7	243	225	TUBELESS



GRIPEX

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
2.75-18	6	1.85	50 P	73	623	9	190	280	TUBE
3.00-17	6	1.85	50 P	83	608	8.8	190	280	TUBE
2.75-18	6	1.85	50 P	73	623	9	190	280	TUBELESS
3.00-17	6	1.85	50 P	83	608	8.8	190	280	TUBELESS

**Safer.
Stronger.
Lives Longer.**



FORSA F87

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.25-19	4	2.5	54 P	88	664	5	212	225	TUBE



XTRAX XL

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
140/70-17	6	3.75	66 P	133	630	5.7	300	230	TUBELESS
130/70-17	6	3.5	62 P	126	622	5.9	265	230	TUBELESS
120/80-18	6	2.75	62 P	120	655	6.2	265	230	TUBELESS



SPINTA

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
140/60-17	6	3.75	63P	131	609	6.2	272	230	TUBELESS

SCOOTER TYRES



GRIPEX

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.50-10	4	DIV. 2.50	51 J	90	441	7.4	195	250	TUBE
3.50-10	4	DIV. 2.50	51 J	90	441	7.4	195	250	TUBELESS
100/90-10	4	MT 2.50	56 J	105	440	7.8	225	250	TUBE
100/90-10	4	MT 2.50	56 J	105	440	7.8	225	250	TUBELESS



POLYGRIP

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.50-10	4	DIV. 2.50	51 J	89	437	8.1	195	250	TUBE
90/100-10	4	2.15	53 J	90	441	6.8	206	250	TUBE
90/100-10	4	2.15	53 J	90	441	6.8	206	250	TUBELESS



GROOVER

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
90/100-10	4	2.15	53J	94	438	6.3	206	250	TUBELESS

**safer.
stronger.
Lives Longer.**



VELOSE

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.50-10	4	DIV. 2.50	51 J	89	437	6.8	195	250	TUBE TYPE
90/90-12	4	2.15	54 J	88	476	5.5	212	250	TUBE TYPE
90/90-12	4	2.15	54 J	88	476	5.5	212	250	TUBE LESS



CRUISER FR

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
90/100-10	4	2.15	53 J	90	440	6.4	206	250	TUBE
90/100-10	4	2.15	53 J	90	440	6.4	206	250	TUBELESS



FORSA

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.50-10	4	DIV. 2.50	51 J	88	434	6.4	195	250	TUBE TYPE



CRUISER

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
90/100-10	4	2.15	53 J	94	439	5.7	206	250	TUBE TYPE
90/100-10	4	2.15	53 J	94	439	5.7	206	250	TUBE LESS
90/90-12	4	2.15	54 J	91	476	5	212	250	TUBE TYPE
90/90-12	4	2.15	54 J	91	476	5	212	250	TUBE LESS



SPARTA

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
110/80-12	4	2.50-12	61L	109	485	6.2	257	250	TUBELESS



CRUISER E

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.00-10	4	2.10-10	42 J	419	84	5.3	150	250	TUBE LESS

**safer.
stronger.
Lives Longer.**



E-RIKSHAW



EMAX

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
3.75-12	4	2.15	60J	96	490	6.2	250	250	TUBE

THREE WHEELER TYRES



HT99

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
4.00-8	6	3.00-8	76 E	111	428	6.9	400	425	TUBE



MAX MILER

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
4.50-10	8	3.50 DC	85 E	127	489	10	515	500	TUBE



AUTO MAN

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
4.00-8	6	DIV 3.00	76 E	109	425	7.4	400	425	TUBE



BULLET

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
4.00-8	6	DIV 3.00	76 E	115	430	9.2	400	425	TUBE



BULLET EX

TYRE SIZE	PR	RECOMMENDED RIM WIDTH	LOAD INDEX & SPEED RATING	SECTION WIDTH (MM)	OUTER DIAMETER (MM)	NON SKID DEPTH (MM)	MAX. LOAD (KG)	MAX. PRESSURE (Kpa)	TYPE
4.00-8	6	3.00-8	76 E	114	433	7.2	400	425	TUBE TYPE

Tyre Sizes For Bikes & Scooters


COMPANY	VEHICLE	FRONT TYRE	REAR TYRE
HERO	SPLENDOR FAMILY/CD DAWN/HF DELUXE SPLENDOR I SMART	2.75-18 FORSA F85/CRUISER Z 80/100-18 CRUISER Z	2.75-18 GRIPEX 80/100-18 CRUISER Z
	PASSION PRO,X PRO/PASSION/ACHEIVER/ GLAMOUR	2.75-18 FORSA F85/CRUISER Z	3.00-18 RICONO/ROSSONE
	MAESTRO/MAESTRO DLX/MAESTRO EDGE NEW PLEASURE/PLEASURE PLUS/DUET/DESTINI 125	90/100-10 CRUISER/CRUISER FR/ POLYGRIP/GROOVER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER
	MAESTRO EDGE, MAESTRO EDGE 110	90/90-12 VELOSE	90/100-10 CRUISER/CRUISER FR/POLYGRIP/ GROOVER
	IGNITOR	80/100-17 CRUISER Z	100/90-17 CRUISER C
	XPULSE 200		120/80-18 XTRAX XL
	PLEASURE	3.50-10 FORSA/POLYGRIP/VELOSE	3.50-10 GRIPEX/FORSA/POLYGRIP/VELOSE
	CBZ/XTREME/XTREME SPORTS	80/100-18 CRUISER Z	100/90-18 STAGGER/CRUISER Z
	XTREME 200 S, XTREME 160R	100/80-17 XTREMER	130/70-17 XTRAX XL
	KAZIZMA/KARIZMA ZMR	80/100-18 CRUISER Z TBL	120/80-18 XTRAX XL
X PRO	80/100-18 CRUISER Z TBL		
BAJAJ	CHETAK	90/90-12 VELOSE/CRUISER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER
	DISCOVER FAMILY/PLATINA/XCD/CT 100 BOXER 150	2.75-17 FORSA F85/CRUISER Z	3.00-17 GRIPEX 100/90-17 CRUISER C
	DISCOVER 150/PULSAR 150/PULSAR 135	2.75-17 FORSA F85/CRUISER Z	100/90-17 CRUISER C
	DISCOVER 150 S,T	80/100-17 CRUISER Z	100/90-17 CRUISER C
	PULSAR 180/220	90/90-17 CRUISER Z	120/80-17 CRUISER C
	PULSAR 125 NEON	80/100-17 CRUISER Z	100/90-17 CRUISER C
	PULSAR 160 NS	80/100-17 CRUISER Z	110/80-17 STAGGER
	PULSAR 200 NS/PULSAR RS 200	100/80-17 XTREMER	130/70-17 XTRAX XL
HONDA	TWISTER		80/100-17 CRUISER Z
	STUNNER	80/100-17 CRUISER Z	100/90-17 CRUISER C
	CB SHINE/DREAM YUGA/DREAM NEO/LIVO	80/100-18 CRUISER Z TBL	80/100-18 CRUISER Z TBL
	CBR 150 R	100/80-17 XTREMER	130/70-17 XTRAX XL
	X BLADE	80/100-17 CRUISER Z	130/70-17 XTRAX XL
	CB HORNET 160 R	100/80-17 XTREMER	140/70-17 XTRAX XL/XTREMER
	CBR 250 R		140/70-17 XTRAX XL/XTREMER,140/60-17 SPINTA
	SHINE 125 (OLD)	2.75-18 FORSA F85/CRUISER Z	2.75-18 GRIPEX
	UNICORN	2.75-18 FORSA F85/CRUISER Z	100/90-18 STAGGER/CRUISER Z
	UNICORN 160/DAZZLER/TRIGGER/CB UNICORN 160	80/100-17 CRUISER Z	110/80-17 STAGGER
	ACTIVA 110 CC (OLD)/ACTIVA 5G/DIO DLX/ACTIVA i/ACTIVA 6G	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER
	ACTIVA 100 CC/DIO	3.50-10 FORSA/POLYGRIP/VELOSE	3.50-10 GRIPEX/FORSA/POLYGRIP/VELOSE
AVIATOR/AVIATOR DLX/ACTIVA 125/GRAZIA/NAVI	90/90-12 VELOSE/CRUISER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER	
TVS	APACHE RTR 160/180	90/90-17 CRUISER Z	110/80-17 STAGGER
	RTR 160 4V/RTR 200 FI E100/RTR 200 4V	90/90-17 CRUISER Z	130/70-17 XTRAX XL
	FLAME SR 125	90/90-17 CRUISER Z	100/90-17 CRUISER C
	STAR CITY FAMILY/MAX 4R/JIVE/SPORT/VICTOR	2.75-17 FORSA F85/CRUISER Z	3.00-17 GRIPEX
	PHOENIX 125	2.75-17 FORSA F85/CRUISER Z	
	RADEON	2.75-17 FORSA F85/CRUISER Z	3.00-18 RICONO/ROSSONE
	WEGO/JUPITER	90/90-12 VELOSE/CRUISER	90/90-12 VELOSE/CRUISER
	SCOOTY ZEST 110 CC XL SUPER HEAVY/XL SUPER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER 2.50-16 RIPPLE GRIP	 2.50-16 SUPPLE MOTO
YAMAHA	SZ-R/SZ-X/SZ-RR	2.75-17 FORSA F85/CRUISER Z	100/90-17 CRUISER C
	SZ-RR	80/100-17 CRUISER Z	100/90-17 CRUISER C
	SS-125/YBR	2.75-18 FORSA F85/CRUISER Z	2.75-18 GRIPEX
	FAZER/FZ/FZ-S/YZF R15 V3/MT 15/FZ 25	100/80-17 XTREMER	140/70-17 XTRAX XL/XTREMER,140/60-17 SPINTA
	CRUX		2.75-18 GRIPEX
	R 15		130/70-17 XTRAX XL
	SALUTO	80/100-18 CRUISER Z	80/100-18 CRUISER Z
	RAY/ALPHA/FACINO	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER
SUZUKI	GIXXER/INTRUDER	100/80-17 XTREMER	140/70-17 XTRAX XL/XTREMER,140/60-17 SPINTA
	SLINGSHOT	2.75-18 FORSA F85/CRUISER Z	3.00-18 RICONO/ROSSONE
	ZEUS 125	2.75-18 FORSA F85/CRUISER Z	2.75-18 GRIPEX
	GS 150	2.75-18 FORSA F85/CRUISER Z	100/90-18 STAGGER/CRUISER Z
	HAYATE	2.75-17 FORSA F85/CRUISER Z	3.00-17 GRIPEX
	BURGMAN STREET	90/90-12 VELOSE/CRUISER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER
	SWISH 125/ACCESS 125	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER	90/100-10 CRUISER/CRUISER FR/POLYGRIP/GROOVER
	CENTURO	2.75-18 FORSA F85/CRUISER Z	3.00-18 RICONO/ROSSONE
MAHINDRA	PANTERO	2.75-18 FORSA F85/CRUISER Z	2.75-18 GRIPEX
	GUSTO	90/90-12 VELOSE	90/90-12 VELOSE
	DURO DZ/RODEO/FLYTE	3.50-10 FORSA/POLYGRIP/VELOSE	3.50-10 GRIPEX/FORSA/POLYGRIP/VELOSE
ROYAL ENFIELD	BULLET 350	3.25-19 FORSA F87	3.50-19 RICONO
	BULLET CLASSIC 350	90/90-19 CRUZER FM	110/90-18 CRUISER Q
	THUNDERBIRD 350,500/BULLET 500,500 X	90/90-19 CRUZER FM	120/80-18 XTRAX XL
	BULLET TRIAL 350,500 CONTINENTAL GT 650	90/90-19 CRUZER FM 100/90-18 CRUISER Z	 130/70-17 XTRAX XL
JAWA	JAWA/JAWA 42		120/80-17 CRUISER C
PIAGGIO	VESPA LX/VX/PREMIUM	90/100-10 CRUISER/CRUISER FR/ POLYGRIP/GROOVER	90/100-10 CRUISER/CRUISER FR/ POLYGRIP/GROOVER

TOLINS

HOTELS & RESORTS
Responsible Luxury Experts



Cyrus Resorts, Alleppey is situated on the banks of Vembanad Lake with a beautiful view of Pathiramanal Island, west of Kumarakom. It is a signature property of Tolins Hotels & Resorts, offering modern facilities in traditionally designed rooms. With a multi cuisine restaurant and a beautiful pool. The resort is located strategically close to Cochin and Kumarakom making it convenient to access.





TOLINS

World School

Tolins World School is a unique educational institution that has its prime focus on the holistic development of children. It has facilities to nurture the diverse talents of the students and help them reach their full potential. It offers a liberal platform giving the young learner freedom, security and space. It provides utmost care to individual needs in a safe school environment.



KNOWLEDGE TO WISDOM





നല്ലത്
വിളമ്പുന്ന
സംസ്കാരം



Selected Premium Rice



Premium Breakfast Powders

At the core of our multi-faceted success has been our promise to provide the best quality in everything that we undertake. Our latest venture into FMCG products, Tolins Foods, functions on the same philosophy and builds on the legacy of our late founder, who always desired a stronghold in the rice grain industry. Our new generation mined the rich terrain of Kerala to acquire traditional rice mills, spice and rice powder manufacturing plants and equipped them with state-of-the-art technology. The result is our new assortment of premium, unadulterated curry powders, rice powers and rice grains that provide the best value and never compromise on quality. Because we believe in providing products that are aligned to world-class standards, all our products and manufacturing processes are ISO22000 2018, US FDA, Halal, HACCP and FSSAI certified.



**TOLINS
FOODS**

നല്ലത്
വിളമ്പുന്ന
സംസ്കാരം



ദോളിൻസ്
അല്ലെ
റെടെ
ചെയ്താ
പോരെ!



Selected Premium Rice | Premium Breakfast Powders
Premium Traditional Pickles | Wheat Products & Payasam Mix





TOLINS TYRES PRIVATE LIMITED

Head Office

M.C. Road, Mattoor, Kalady - 683 574,
Ernakulam District, Kerala, India
Tel : + 91 484 246 22 22 | Toll-Free : 1800 123 21 22
Email : info@tolins.com | Visit us : www.tolins.com
Helpline : + 91 9745 22 22 22

Delhi

AG-11, Sanjaygandhi Transport Nagar,
Sameypur Badli, New Delhi - 110 42
Tel : + 91 9946862222, Email : delhi@tolins.com

Guwahati

H.No.1, Narbam Lakhi Mandir Path, Lalmati
Guwahati, Kamrup Metropolitan, Assam - 781 029
Tel : + 91 7593892222, Email : guwahati@tolins.com

Vadodara

Jay Narayan Estate, Near J K Godown,
Opposite Bhagwan Park,
Reliance Road, At Post Ranoli, Vadodara
Tel : + 91 9539290222, Email : vadodara@tolins.com

Raipur

Mohba Bazar, Hirapur Road
Tatibandh P.O
Raipur Dist., Chhattisgarh - 492 099
Tel : + 91 9048650222, Email : raipur@tolins.com

Pune

SR.No.44/1/1 - Ground Floor, Sivakrupa Heights,
Uruli Devachi Mantarwadi Furshungi, Haveli
Pune - 412 308, Tel : + 91 8589855222
Email : pune@tolins.com

Vijayawada

D.No. 55-1-11, North Face, Rao & Rao Tyre Complex,
Pantakaluva Road JN, 100 Feet Road, Jawahar Autonagar
Vijayawada, Krishna Dist., Andhrapradesh - 520 007
Ph : + 91 8142056657, Email : vja@tolins.com

El Salvador

Green Cargo El Salvador S.A De C.V
Residencial Buena Vista 2, Senda 7 Casa 15-H
Dsanta Tecla, La Libertad, El Salvador
Ph : + 503 7600 8228, Email : latam@tolins.com

USA

5322 EL Caminito, Castro Valley,
California 94546 - 1530
Tel : + 1 510 397 1091, Fax : + 1 510 314 0991
Ph : + 1 510 710 8093, Email : usa@tolins.com

UAE

Plot No : 214-B, RAKIA Industrial zone
Al Jazeera, RAK, P.O Box : 16200
Tel : + 971 7 2434622, Fax : + 971 72434633
Ph : + 971 505604477, Email : uae@tolins.com

Turkey

Olgunlar Cd. No. 20/16 Kizilay
Ankara- Turkey
Ph : + 9031 24177854, 0090 5322841426
Email : turkey@tolins.com

Calicut

72|1698(Part 1), Temple Road, West Hill
Kozhikode - 673 005
Ph : + 91 8943592222, Email : nk@tolins.com

Kannur

XV|500-K, Alinkeezhil, Narath P.O,
Kannur - 670 005
Ph : + 91 7034610222, Email : kannur@tolins.com